TRANSTANK GLOBAL 9,500 – 19,000 litres

The TransTank Global is a fully transportable, 110% self bunded (double wall) fuel storage container that was designed for bulk fuel transfer and emergency fuel supply. Built to ISO container dimensions, the TransTank Global allows for simplified shipping by road, rail or sea.

FEATURES

EQUIPMENT CABINET
Lockable equipment cabinet that secures all ports and fittings, as well as captures all spills and drips. Secure hose access enables fuelling while cabinet is locked.

ACCESS HATCH
Easy access to inner tank for routine maintenance and cleaning.

110% BUNDED
Built-in, weather proof bund.

CYLINDRICAL INNER TANK
Cylindrical inner tank to comply with transport regulations.

STACKABLE
Container design allows stacking up to six high when full, reducing your storage space required.

ISO CONTAINER DIMENSIONS
Built to ISO container dimensions to allow simplified shipping by road, rail, or sea.

SECURE HOSE ACCESS
Letterbox-style ports to enable continuous fuelling while cabinet is locked.

FORKLIFT POCKETS
Forklift pockets for easy movement when empty.

TWIST LOCKS
Corner twist locks for ease of handling and transport.

WESTERN GLOBAL®

T: +44 (0) 1454 227 277 **W:** western-global.com

IDEAL USES AND APPLICATIONS

COMPLETE FUELLING STATION
For fleet refuelling or the sale of fuel, tanks can be fitted to become complete fuel dispensing and management systems.

GENERATOR AND AUXILIARY EQUIPMENT
Able to connect to one diesel powered piece of equipment and dispense fuel by pump at the same time.

BULK FUEL TRANSPORT & SUPPLY
The TransTank Global is easily transportable to provide front line fuel supply

MODELS AND CAPABILITIES

SPECIFICATIONS	100TT-IMDG	200TTCAB-IMDG	200TT-IMDG
Capacity (Nominal / safe fill (95%))	9,500/ 9,025 litres	18,500/ 17,575 litres	19,000 / 18,050 litres
Dimensions (L x W x H)	2,991 x 2,438 x 2,438 mm	6,058 x 2,438 x 2,438 mm	6,058 x 2,438 x 2,438mm
Weight (Empty)	3,700 kg	6,700 kg	6,500 kg
Design Approvals	ADR, 49CFR (US DOT), UN T9 Portable Tank, CSC, ISO1496/3, RID, TIR, IMDG, UL142		

BS799-5   UL LISTED

WESTERN GLOBAL®

T: +44 (0) 1454 227 277 **W:** western-global.com